					KT C					,,,,,
COUNTRY	Poland					ATE DISTR.	72	AUG	49	′
		1. 77						AUG	***	
2023501	Firm in Pose	he H. Cegielsk n	d.		1	io. OF PAGE	ES	3		
PLACE [10 0E ENO	i e -	1		
ACQUIRED	,		Return to	CIA Libi	rarv ⁽ⁱ	IO. OF ENCI	LO.	2		2
PATE OF II	NFO.			CITY EIGI	S	UPPLEMEN EPORT NO.	_			_]
6. 9. C., 7 1 AND	92. AS AUTHOUG, ITS TO	Precting the maticulal deep ting ou the espiciage aci magnission or the revela graphicalized deepen	A RO SA	THIS IS U	JNEVALU/	ATED INFOR	MATIC			
PROPERTY BALENCE	a. Merkoduction of this	FORM IS PROMINITED.	F-8	.,,,,,			••••	···	0.E.V	,
								-	25X	ı
									!	
								J .		
2.	and locomore outskirts of are marked Installation map of inst	trains to Warrive plants, and f Posen.* Plants number (See Attacallations): The province of the training of the province of the training of traini	re located s ant I has th ber. chments I an he present f	ome distance as number 48 and II for de coundry buil	ce away and a tailed ding, f	in Dembied ll its cas description	sting on an	the		
2.	and locomotouterirts of are marked Installation map of instal machibeen built some of the from the time of the year building be workshop" the expansi	ive plants, and Posen.* Plants with this number of the contract of the contrac	re located sant I has the ber. chments I an he present for exclusional buildings, an an occupation of the rear of a dat the tindry and the forman foundry but foundry but foundry but a foundry but the san f	d II for de coundry buil d by specia ve of a lar all the more on during W the foundry me of source turnery and changes a	ce away a and a stailed ding, f dists (ge part modern forld Wa ye's dep d the s are bein	description of the format later of the format	on an agra) to bundrations the hotel to be local to be more to be an agrant to be a	the sicul- have have date as turning	1 1 1 1 1 1 1 1 -	
2.	and locomore outsirts of are marked Installation map of installation map of installation map of the from the tibeen change of the year building be workshop" the expansifor smaller the foundry building is idle pending of German of The turnery of a somewhom the common of Germans dur	ive plants, and Posen.* Plant this number of the allations and the germ of the Germ of the main finished cast at equipped wat older date, ing the occupa	re located sant I has the ber. chments I an he present for exclusional compations, and at the time day and the followings. equipment is a equipment, up of further the time to the time time to the time time time time time time time tim	iome distance number 48 and II for de Coundry buil of by special ve of a lar all the more of source turnery and changes adding. Als not at all in part in er equipmen ooty from f work benches all erwards by	ce away 3. and a stailed ding, f dists (rge part bondern world wa world wa the s are bein unifor produc t. The s and m were bu the Poli	description of the foundation and is secured in the foundation and is secured to the foundation and	on an agrain to bundar the hoteld perm ware old in parages or agrain to be seen and many agrains agrai	the d icul- have y and date as e turn ng it house found rt s are achine	n Fy	
	and locomore outsirts of are marked Installation map of instal tural machine built some of the from the state of the year building be workshop" the expansifor smaller. The foundry building is idle pending of German of The turnery of a someth Germans durpunchers and The foundry III, the lo	ive plants, and Posen.* Planth this number of the German of the German of the main finished cast at colder date. ing the occupad automatons a electricity comotive facto	re located sant I has the ber. chments I an he present for its estimate ver, exclusional buildings, and at the tindry and the indown. These independent of furth staken as booth modern the work buildings. The work buildings in the very in periode in the very there is provided in the provided in the provided in the periode in the period in the periode in the periode in the periode in the period in t	d II for de coundry buil d by specia ve of a lar ll the more on during W the foundr me of source turnery and changes adding. Als not at all in part in er equipment out from f work banche enches all erwards by for the product of the	ce away 3. and a stailed ding, f dists (The part was t re bein production the production the police control of the period of the series the period of the series the production the production the production the production the police the period of the p	description of the formerly are fachleuter of the form th	on an agrai) to bundrate the heat the local of the local	the d icul- have y and date as e turn ng it house found rt s are achine the	n Fy	
3.	and locomore outsirts of are marked Installation map of instal tural machine built some of the from the state of the year building be workshop" the expansifor smaller. The foundry building is idle pending of German of The turnery of a someth Germans durpunchers and The foundry III, the lo	ive plants, and Posen.* Planth this number of the German of the main finished cast at equipped wat older date. In equipment of the main finished cast at echnical endern german general endern general endern sequipped wat older date. In electricity comotive facto or endern of the technical endern sequipped wat older date.	re located sant I has the ber. chments I an he present for its estimate ver, exclusional buildings, and at the tindry and the indown. These independent of furth staken as booth modern the work buildings. The work buildings in the very in periode in the very there is provided in the provided in the provided in the periode in the period in the periode in the periode in the periode in the period in t	ione distance is number 48 and II for de coundry built of by special ve of a lar led the foundry withe foundry in the foundry and changes adding. Als not at all in part in er equipment out from for the process of the	ce away 3. and a stailed ding, f dists (The part was t re bein production the production the police control of the period of the series the period of the series the production the production the production the production the police the period of the p	description of the formerly are fachleuter of the form th	on an agrai) to bundrate the heat the local of the local	the d icul- have y and date as e turn ng it house found rt s are achine the	n Fy	
3.	and locomore outsirts of are marked Installation map of instal machine been built some of the from the state of the year building be workshop" with expansifor smaller. The foundry building is idle pending of German of The turnery of a somewhors and the foundry lill, the local contract of the state of the foundry lill, the local contract of the state of the foundry lill, the local contract of the state of the foundry lill, the local contract of the state o	ive plants, and Posen.* Play with this number of the German of the German of the main finished cast at echnical emodern German g the seating rigin and were is equipped wat older date. The company of the the coups of the coups	re located sant I has the ber. chments I an he present for the setimate ver, exclusionan occupation of the term of the term of the term of the term of furth of the work between as best up there will provide the term of the work best up there will provide the provide term of the work best up there will provide the term of the work best up there will provide the term of the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of term of the term of term of the term of term of the te	iome distance is number 48 and II for de coundry built of by special ve of a lar all the more of source turnery and changes adding. Als not at all in part in er equipment outy from f work benches all erwards by for the product of t	ce away 3. and a stailed ding, f dists (The part was t re bein production the production the police control of the period of the series the period of the series the production the production the production the production the police the period of the p	description of the formerly are fachleuter of the form th	on an agrai) to bundrate the hat the local of the local o	the d icul- have y and date as e turn ng it house found rt s are achine the	n P s	2
3.	and locomore outsirts of are marked Installation map of installation map of installation of the from the tip been change of the year building be workshop" the expansifor smaller the foundry building is idle pending of German of The turnery of a somewhor germans durpunchers and The foundry III, the local contract of the transport of the turnery of the turnery of the foundry III, the local contract of the foundry III, the local contract of the turnery of the foundry III, the local contract of the foundry III.	ive plants, and Posen.* Plant with this number of the German of the German of the main finished cast at echnical endered actions and were in equipped to a equipped to e	re located sant I has the ber. chments I an he present for its estimate ver, exclusionan occupation and at the tindry and the index and foundry butings. equipment is a equipment, up of furth equipment is its equipment of the work better the provided of the control of the work better the provided of the control of the work better the work bet	iome distance is number 48 and II for de coundry built of by special ve of a lar all the more of source turnery and changes adding. Als not at all in part in er equipment outy from f work benches all erwards by for the product of t	ce away 3. and a stailed ding, f dists (The part was t re bein production the production the police control of the period of the series the period of the series the production the production the production the production the police the period of the p	description of the formerly are fachleuter of the form th	on an agrai) to bundrate the hat the local of the local o	the d icul- have y and date as e turn ng it house found rt s are achine the	n P s	2
3.	and locomore outswirts of are marked Installation map of installation of installation built some of the from the tip been change of the year building be workshop the expansifor smaller. The foundry building is idle pending of German of German of The turnery of a somewhor germans durpunchers and the foundry III, the local morthwest of the contract of the contract of the contract of the foundry of the contract of the foundry of the contract of	ive plants, and Posen.* Plant with this number of the germ of the Germ of the main finished cast at color date. It equipment to a successification automatons at color date. It equipment to company the solution of the main finished cast at color date. It equipment is equipped to automatons at color date. It expends the coups date of the coups date of the coups date. It expends the coups date of the coups date. It expenses the coups date of the coups date.	re located sant I has the ber. chments I an he present for the setimate ver, exclusionan occupation of the term of the term of the term of the term of furth of the work between as best up there will provide the term of the work best up there will provide the provide term of the work best up there will provide the term of the work best up there will provide the term of the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of term of the term of term of the term of term of the te	ione distance is number 48 and II for de Coundry built of by special ve of a lart lithe more on during with foundring and the foundring and changes adding. Also in the part i	ce away 3. and a stailed ding, f lists (Tee part modern world was tee s dep d the s are bein produc t. The tree is and me were but the Pole roduction bocument NO CHANG	description of the following t	on an agrai) to sundrate the local danger ware cold and accordance	the the cicul- have y and date as turn ng it house found rt s are achine the the the tion,	n P s	29
3.	and locomore outswirts of are marked Installation map of installation of installation built some of the from the tip been change of the year building be workshop the expansifor smaller. The foundry building is idle pending of German of German of The turnery of a somewhor germans durpunchers and the foundry III, the local morthwest of the contract of the contract of the contract of the foundry of the contract of the foundry of the contract of	ive plants, and Posen.* Plant with this number of the germ of the Germ of the main finished cast at color date. It equipment to a successification automatons at color date. It equipment to company the solution of the main finished cast at color date. It equipment is equipped to automatons at color date. It expends the coups date of the coups date of the coups date. It expends the coups date of the coups date. It expenses the coups date of the coups date.	re located sant I has the ber. chments I an he present for the setimate ver, exclusionan occupation of the term of the term of the term of the term of furth of the work between as best up there will provide the term of the work best up there will provide the provide term of the work best up there will provide the term of the work best up there will provide the term of the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of the work best up there will provide the term of term of the term of term of the term of term of the te	ione distance is number 48 and II for de Coundry built of by special ve of a lart lil the more on during we the foundring of turnery and changes adding. Also not at all in part in er equipment ooty from for the production of the	ce away 3. and a stailed ding, f lists (Tee part modern world was tee's dep d the s are bein produc t. The tres and ma were but the Pola coduction rbo-gene has a e factor Document NO CHANG DECLA	description of the following t	on an are a state of the local day are a stat	the the d icul- have y and date as e turn ng it house found rt s are achine the the the the	n P s	2:

25X1

CLASSIFICATION

Approved For Release 2003/12/10: CIA-RDP82-00457R003000350003-1
CENTRAL INTELLIGENCE AGENCY

25X1

25X1

built during the German occupation, provides current not only for all three of the Cegislaki plants but also for that part of the city near the main plants.

- The foundry's railway spur branches from the main Posen-Warsaw line in Posen's East Station. One spur runs into the middle of the foundry building, and sacther runs into the turnery. The loading in both buildings is done by means of electric cranes. There are other spurs to the more important warehouses and to the loading places for materials: the coke dump, the raw iron dump, the lime dump, etc. By means of a turntable, the railway line also serves the part of the yards jutting out to the west.
- Production: The foundry produces most of the parts for the locomotives and passenger railroad cars manufactured by the Cegielski firm. Carriages for railroad cars, wasel-sets for locomotives and tenders, bearing bushings (Lagerschalen), and other parts not produced by the Cegielski foundry are obtained from a foundry in Breslau. The bearing bushings sit in axle cases, which in turn rest on axles. In the cylinder casting the percentage of scrap is seldom under eighty percent. The bad pieces are remelted.
- 7. All Cagielski products bear the inscription "H.C.P.". The three Cagielski plants together produce seven locomotives and twelve to sixteen railroad cars a month. The cars produced are Pullman cars with four axles, third class coaches, and second and third class sleeping cars.
- the locomotives produced as standard German locomotives of Type 42 and 45, with some changes; express train locomotives with larger wheel-sets; freight train locomotives with smaller wheel-sets; and Galding locomotives made from the parts captured from the Galding Factory (near Königsberg?). The latter series comprises only 32 or 36 pieces. Its production has been stopped since the supply of parts has been exhausted. The locomotives and cars are taken over by the Polish state railway. The firm also delivers to Warsaw axle cases for freight cars. Every four or five days; five hundred of these are ready for delivery.
 - The Cagielski firm delivers axle cases for Russian railroad cars. These axle cases are larger and more stable than the ones for Polish cars.
 - Personnel: The foundry was directed by one Dickmann, a Polish civilian, who is reported to have gone to Katowice in the summer of 1948. The name of his successor is unknown to source. Source estimates that of the 10,000 or more workers reportedly employed by the Cegielski firm, approximately 1200 are employed in the foundry. A majority of the foundry's employees are male.
 - Originally 800 German PWs worked in the foundry, and of these around 700 were employed as technical workers for processing the metal. In the beginning almost all the plant's technical workers were PWs, but gradually the PWs have been replaced by Polish apprentices and technical workers (Facharbeiter), whom source describes as of doubtful quality. In the last half of 1948 only a few German PWs worked on actual production. To the best of source's knowledge, no drafted German engineers were employed in the plant, and no German engineers, who were PWs, were used in the plant's planning work.

Confidential	25X1
--------------	------

,	ý 1.					
	•	CENTRAL	Intelligence -3-	AGETICY		25X1
in the second	Work in the foundry shifts. The shifts current demands.					
zās	Somment:		for description	n of Plant	s II and III.	
	Eacle: 1 key to map	(3 pages)		,		

25X1

CONFIDENTIAL'

25X1

25X1